

## PHP Version 5.3.10



<b>System</b>	Linux bvcyl2 2.6.32-5-amd64 #1 SMP Thu Mar 22 17:26:33 UTC 2012 x86_64
<b>Build Date</b>	Mar 30 2012 11:40:03
<b>Configure Command</b>	'./configure' '--prefix=/usr/local/php' '--with-apxs2=/usr/local/apache/bin/apxs' '--with-gd' '--with-zlib' '--enable-mbstring' '--with-iconv' '--with-iconv-dir' '--enable-gd-native-ttf' '--enable-ftp' '--with-xsl' '--enable-wddx' '--with-gettext' '--with-kerberos' '--enable-soap' '--with-libxml-dir' '--with-xmlrpc' '--with-libxml-dir=/usr'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/usr/local/php/lib
<b>Loaded Configuration File</b>	/usr/local/php/lib/php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>Additional .ini files parsed</b>	(none)
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	compress.zlib, php, file, glob, data, http, ftp, phar
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg
<b>Registered Stream Filters</b>	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2012 Zend Technologies



## PHP Credits

### Configuration

#### apache2handler

<b>Apache Version</b>	Apache/2.2.22 (Unix) PHP/5.3.10
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	jsolorzano@concytec.gob.pe
<b>Hostname:Port</b>	bvcyl2.lanconcy:0
<b>User/Group</b>	daemon(1)/1
<b>Max Requests</b>	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 300 - Keep-Alive: 5
<b>Virtual Server</b>	No
<b>Server Root</b>	/usr/local/apache

## phpinfo()

<b>Loaded Modules</b>	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_filter mod_log_config mod_env mod_setenvif mod_version prefork http_core mod_mime mod_status mod_autoindex mod_asis mod_cgi mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5
-----------------------	--

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	Value
HTTP_HOST	192.168.5.109
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	es-ES,es;q=0.8
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.3
HTTP_COOKIE	clientLanguage=es; __utma=10273141.981736834.1334094429.1334346506.1334349776.5; __utmz=10273141.1334094429.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none)
HTTP_VIA	1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9)
HTTP_X_FORWARDED_FOR	192.168.4.161
HTTP_CACHE_CONTROL	max-age=259200
HTTP_CONNECTION	keep-alive
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	no value
SERVER_SOFTWARE	Apache/2.2.22 (Unix) PHP/5.3.10
SERVER_NAME	192.168.5.109
SERVER_ADDR	192.168.5.109
SERVER_PORT	80
REMOTE_ADDR	192.168.5.234
DOCUMENT_ROOT	/usr/local/apache/htdocs
SERVER_ADMIN	jsolorzano@concytec.gob.pe
SCRIPT_FILENAME	/usr/local/apache/htdocs/info.php
REMOTE_PORT	32889
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.0
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php

## HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /info.php HTTP/1.0
Host	192.168.5.109
User-Agent	Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding	gzip,deflate,sdch
Accept-Language	es-ES,es;q=0.8
Accept-Charset	ISO-8859-1,utf-8;q=0.7,*;q=0.3
Cookie	clientLanguage=es; __utma=10273141.981736834.1334094429.1334346506.1334349776.5; __utmz=10273141.1334094429.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none)
Via	1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9)
X-Forwarded-For	192.168.4.161
Cache-Control	max-age=259200
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.10
Connection	close

Content-Type	text/html
--------------	-----------

## Core

PHP Version	5.3.10
-------------	--------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	no value	no value
default_charset	no value	no value
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	no value	no value
disable_functions	no value	no value
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	Off	Off
error_append_string	no value	no value
error_log	no value	no value
error_prepend_string	no value	no value
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/php/lib/php/extensions/no-debug-non-zts-20090626	/usr/local/php/lib/php/extensions/no-debug-non-zts-20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/php/lib/php	./usr/local/php/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	no value	no value
output_buffering	4096	4096
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120

## phpinfo()

register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

## ctype

ctype functions	enabled
-----------------	---------

## date

date/time support	enabled
"Olson" Timezone Database Version	2011.14
Timezone Database	internal
Default timezone	America/Lima

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.8
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## fileinfo

fileinfo support	enabled
version	1.0.5-dev

**filter**

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 321634 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	no value	no value

**ftp**

<b>FTP support</b>	enabled
--------------------	---------

**gd**

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.2.44
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	0	0

**gettext**

<b>GetText Support</b>	enabled
------------------------	---------

**hash**

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

**iconv**

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	2.11.3

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

**json**

<b>json support</b>	enabled
<b>json version</b>	1.2.1

**libxml**

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.7.8
<b>libXML Loaded Version</b>	20708
<b>libXML streams</b>	enabled

**mbstring**

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.
---

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

## pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

## PDO

PDO support	enabled
PDO drivers	sqlite, sqlite2

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

## Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Revision: 321634 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
OpenSSL support	disabled (install ext/openssl)

Phar based on pear/PHP_Archive, original concept by Davey Shafik. Phar fully realized by Gregory Beaver and Marcus Boerger. Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.
--

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On
phar.require_hash	On	On

## posix

Revision	\$Revision: 321634 \$
----------	-----------------------

## Reflection

Reflection	enabled
Version	\$Revision: 321634 \$

**session**

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

**SimpleXML**

Simplexml support	enabled
Revision	\$Revision: 321634 \$
Schema support	enabled

**soap**

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

**SPL**

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

**SQLite**

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c 321634 2012-01-01 13:15:04Z felipe \$

SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

### sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

### standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

### tokenizer

Tokenizer Support	enabled
-------------------	---------

### wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

### xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.8

### xmlreader

XMLReader	enabled
-----------	---------

### xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

### xmlwriter

XMLWriter	enabled
-----------	---------

### xsl



XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.7
EXSLT	enabled
libexslt Version	1.1.26

## zlib

ZLib Support	enabled
Stream Wrapper support	compress,zlib://
Stream Filter support	zlib.inflate,zlib.deflate
Compiled Version	1.2.3.4
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

## Additional Modules

Module Name
-------------

## Environment

Variable	
LANGUAGE	es_PE:es
USER	root
SSH_CLIENT	192.168.4.161 1227 22
MAIL	/var/mail/root
LD_LIBRARY_PATH	/usr/local/apache/lib:
SHLVL	2
HOME	/root
OLDPWD	/usr/local/apache/htdocs
SSH_TTY	/dev/pts/0
LOGNAME	root
_	bin/apachectl
TERM	xterm
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
LANG	es_PE.UTF-8
LS_COLORS	rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar
SHELL	/bin/bash
PWD	/usr/local/apache
SSH_CONNECTION	192.168.4.161 1227 192.168.5.109 22

## PHP Variables

Variable	Value
_COOKIE["clientLanguage"]	es
_COOKIE["__utma"]	10273141.981736834.1334094429.1334346506.1334349776.5
_COOKIE["__utmz"]	10273141.1334094429.1.1.utmcsrc=(direct)utmccn=(direct)utmcmd=(none)
_SERVER["HTTP_HOST"]	192.168.5.109
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	es-ES,es;q=0.8
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_SERVER["HTTP_COOKIE"]	clientLanguage=es;__utma=10273141.981736834.1334094429.1334346506.1334349776.5;__utmz=10273141.1334094429.1.1.utmcsrc=(direct)utmccn=(direct)utmcmd=(none)
_SERVER["HTTP_VIA"]	1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9)
_SERVER["HTTP_X_FORWARDED_FOR"]	192.168.4.161
_SERVER["HTTP_CACHE_CONTROL"]	max-age=259200
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_SERVER["SERVER_SIGNATURE"]	no value
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.22 (Unix) PHP/5.3.10

## phpinfo()

_SERVER["SERVER_NAME"]	192.168.5.109
_SERVER["SERVER_ADDR"]	192.168.5.109
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.5.234
_SERVER["DOCUMENT_ROOT"]	/usr/local/apache/htdocs
_SERVER["SERVER_ADMIN"]	jsolorzano@concytec.gob.pe
_SERVER["SCRIPT_FILENAME"]	/usr/local/apache/htdocs/info.php
_SERVER["REMOTE_PORT"]	32889
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.0
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["PHP_SELF"]	/info.php
_SERVER["REQUEST_TIME"]	1334605946

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).