

PHP Version 5.3.3-7+squeeze8

| | |
|--|---|
| System | Linux www-conc 2.6.32-5-amd64 #1 SMP Mon Jan 16 16:22:28 UTC 2012 x86_64 |
| Build Date | Feb 10 2012 12:52:32 |
| Server API | Apache 2.0 Handler |
| Virtual Directory Support | disabled |
| Configuration File (php.ini) Path | /etc/php5/apache2 |
| Loaded Configuration File | /etc/php5/apache2/php.ini |
| Scan this dir for additional .ini files | /etc/php5/apache2/conf.d |
| Additional .ini files parsed | /etc/php5/apache2/conf.d/pdo.ini, /etc/php5/apache2/conf.d/suhosin.ini, /etc/php5/apache2/conf.d/xmlrpc.ini |
| PHP API | 20090626 |
| PHP Extension | 20090626 |
| Zend Extension | 220090626 |
| Zend Extension Build | API220090626,NTS |
| PHP Extension Build | API20090626,NTS |
| Debug Build | no |
| Thread Safety | disabled |
| Zend Memory Manager | enabled |
| Zend Multibyte Support | disabled |
| IPv6 Support | enabled |
| Registered PHP Streams | https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip |
| Registered Stream Socket Transports | tcp, udp, unix, udg, ssl, sslv3, sslv2, tls |
| Registered Stream Filters | zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk |

This server is protected with the Suhosin Patch 0.9.9.1
 Copyright (c) 2006-2007 [Hardened-PHP Project](#) Copyright (c) 2007-2009 [SektionEins GmbH](#)

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
 with Suhosin v0.9.32.1, Copyright (c) 2007-2010, by SektionEins GmbH



PHP Credits

Configuration

apache2handler

| | |
|-----------------------------|------------------------|
| Apache Version | Apache/2.2.16 (Debian) |
| Apache API Version | 20051115 |
| Server Administrator | webmaster@localhost |
| Hostname:Port | www-conc.lanconcy:80 |

| | |
|-----------------------|---|
| User/Group | www-data(33)/33 |
| Max Requests | Per Child: 0 - Keep Alive: on - Max Per Connection: 100 |
| Timeouts | Connection: 300 - Keep-Alive: 15 |
| Virtual Server | Yes |
| Server Root | /etc/apache2 |
| Loaded Modules | core mod_log_config mod_logio prefork http_core mod_so mod_alias mod_auth_basic mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_deflate mod_dir mod_env mod_mime mod_negotiation mod_perl mod_php5 mod_python mod_reqtimeout mod_rewrite mod_setenvif mod_status |

| Directive | Local Value | Master Value |
|---------------|-------------|--------------|
| engine | 1 | 1 |
| last_modified | 0 | 0 |
| xbithack | 0 | 0 |

Apache Environment

| Variable | Value |
|----------------------|--|
| HTTP_HOST | 192.168.5.112 |
| HTTP_USER_AGENT | Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19 |
| HTTP_ACCEPT | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| HTTP_ACCEPT_ENCODING | gzip,deflate,sdch |
| HTTP_ACCEPT_LANGUAGE | es-ES,es;q=0.8 |
| HTTP_ACCEPT_CHARSET | ISO-8859-1,utf-8;q=0.7,*;q=0.3 |
| HTTP_COOKIE | clientLanguage=es |
| HTTP_VIA | 1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9) |
| HTTP_X_FORWARDED_FOR | 192.168.4.161 |
| HTTP_CACHE_CONTROL | max-age=259200 |
| HTTP_CONNECTION | keep-alive |
| PATH | /usr/local/bin:/usr/bin:/bin |
| SERVER_SIGNATURE | <address>Apache/2.2.16 (Debian) Server at 192.168.5.112 Port 80</address> |
| SERVER_SOFTWARE | Apache/2.2.16 (Debian) |
| SERVER_NAME | 192.168.5.112 |
| SERVER_ADDR | 192.168.5.112 |
| SERVER_PORT | 80 |
| REMOTE_ADDR | 192.168.5.234 |
| DOCUMENT_ROOT | /var/www/ |
| SERVER_ADMIN | webmaster@localhost |
| SCRIPT_FILENAME | /var/www/info.php |
| REMOTE_PORT | 36892 |
| GATEWAY_INTERFACE | CGI/1.1 |
| SERVER_PROTOCOL | HTTP/1.0 |
| REQUEST_METHOD | GET |
| QUERY_STRING | <i>no value</i> |
| REQUEST_URI | /info.php |
| SCRIPT_NAME | /info.php |

HTTP Headers Information

| HTTP Request Headers |
|----------------------|
| |

| | |
|------------------------------|--|
| HTTP Request | GET /info.php HTTP/1.0 |
| Host | 192.168.5.112 |
| User-Agent | Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19 |
| Accept | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |
| Accept-Encoding | gzip,deflate,sdch |
| Accept-Language | es-ES,es;q=0.8 |
| Accept-Charset | ISO-8859-1,utf-8;q=0.7,*;q=0.3 |
| Cookie | clientLanguage=es |
| Via | 1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9) |
| X-Forwarded-For | 192.168.4.161 |
| Cache-Control | max-age=259200 |
| Connection | keep-alive |
| HTTP Response Headers | |
| X-Powered-By | PHP/5.3.3-7+squeeze8 |
| Vary | Accept-Encoding |
| Content-Encoding | gzip |

bcmath

| | |
|-----------------------|---------|
| BCMath support | enabled |
|-----------------------|---------|

| Directive | Local Value | Master Value |
|---------------------|-------------|--------------|
| bcmath.scale | 0 | 0 |

bz2

| | |
|-------------------------------|----------------------------------|
| BZip2 Support | Enabled |
| Stream Wrapper support | compress.bz2:// |
| Stream Filter support | bzip2.decompress, bzip2.compress |
| BZip2 Version | 1.0.5, 10-Dec-2007 |

calendar

| | |
|-------------------------|---------|
| Calendar support | enabled |
|-------------------------|---------|

Core

| | |
|--------------------|------------------|
| PHP Version | 5.3.3-7+squeeze8 |
|--------------------|------------------|

| Directive | Local Value | Master Value |
|---------------------------------------|-------------|--------------|
| allow_call_time_pass_reference | On | On |
| allow_url_fopen | On | On |
| allow_url_include | Off | Off |
| always_populate_raw_post_data | Off | Off |
| arg_separator.input | & | & |
| arg_separator.output | & | & |
| asp_tags | Off | Off |

| | | |
|-----------------------------|---------------------------------|---------------------------------|
| auto_append_file | <i>no value</i> | <i>no value</i> |
| auto_globals_jit | On | On |
| auto_prepend_file | <i>no value</i> | <i>no value</i> |
| browscap | <i>no value</i> | <i>no value</i> |
| default_charset | <i>no value</i> | <i>no value</i> |
| default_mimetype | text/html | text/html |
| define_syslog_variables | Off | Off |
| disable_classes | <i>no value</i> | <i>no value</i> |
| disable_functions | <i>no value</i> | <i>no value</i> |
| display_errors | On | On |
| display_startup_errors | Off | Off |
| doc_root | <i>no value</i> | <i>no value</i> |
| docref_ext | <i>no value</i> | <i>no value</i> |
| docref_root | <i>no value</i> | <i>no value</i> |
| enable_dl | On | On |
| error_append_string | <i>no value</i> | <i>no value</i> |
| error_log | <i>no value</i> | <i>no value</i> |
| error_prepend_string | <i>no value</i> | <i>no value</i> |
| error_reporting | 22527 | 22527 |
| exit_on_timeout | Off | Off |
| expose_php | On | On |
| extension_dir | /usr/lib/php5/20090626 | /usr/lib/php5/20090626 |
| file_uploads | On | On |
| highlight.bg | #FFFFFF | #FFFFFF |
| highlight.comment | #FF8000 | #FF8000 |
| highlight.default | #0000BB | #0000BB |
| highlight.html | #000000 | #000000 |
| highlight.keyword | #007700 | #007700 |
| highlight.string | #DD0000 | #DD0000 |
| html_errors | Off | Off |
| ignore_repeated_errors | Off | Off |
| ignore_repeated_source | Off | Off |
| ignore_user_abort | Off | Off |
| implicit_flush | Off | Off |
| include_path | ./usr/share/php:/usr/share/pear | ./usr/share/php:/usr/share/pear |
| log_errors | On | On |
| log_errors_max_len | 1024 | 1024 |
| magic_quotes_gpc | On | On |
| magic_quotes_runtime | Off | Off |
| magic_quotes_sybase | Off | Off |
| mail.add_x_header | On | On |
| mail.force_extra_parameters | <i>no value</i> | <i>no value</i> |
| mail.log | <i>no value</i> | <i>no value</i> |
| max_execution_time | 30 | 30 |
| max_file_uploads | 20 | 20 |
| max_input_nesting_level | 64 | 64 |
| max_input_time | 60 | 60 |
| max_input_vars | 1000 | 1000 |
| memory_limit | 128M | 128M |
| open_basedir | <i>no value</i> | <i>no value</i> |
| output_buffering | 4096 | 4096 |
| output_handler | <i>no value</i> | <i>no value</i> |

| | | |
|---------------------------|--------------------------|--------------------------|
| post_max_size | 8M | 8M |
| precision | 14 | 14 |
| realpath_cache_size | 16K | 16K |
| realpath_cache_ttl | 120 | 120 |
| register_argc_argv | On | On |
| register_globals | On | On |
| register_long_arrays | Off | Off |
| report_memleaks | On | On |
| report zend debug | On | On |
| request_order | GP | GP |
| safe_mode | Off | Off |
| safe_mode_exec_dir | <i>no value</i> | <i>no value</i> |
| safe_mode_gid | Off | Off |
| safe_mode_include_dir | <i>no value</i> | <i>no value</i> |
| sendmail_from | <i>no value</i> | <i>no value</i> |
| sendmail_path | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| serialize_precision | 100 | 100 |
| short_open_tag | On | On |
| SMTP | localhost | localhost |
| smtp_port | 25 | 25 |
| sql.safe_mode | Off | Off |
| track_errors | Off | Off |
| unserialize_callback_func | <i>no value</i> | <i>no value</i> |
| upload_max_filesize | 2M | 2M |
| upload_tmp_dir | <i>no value</i> | <i>no value</i> |
| user_dir | <i>no value</i> | <i>no value</i> |
| user_ini.cache_ttl | 300 | 300 |
| user_ini.filename | .user.ini | .user.ini |
| variables_order | GPCS | GPCS |
| xmlrpc_error_number | 0 | 0 |
| xmlrpc_errors | Off | Off |
| y2k_compliance | On | On |
| zend.enable_gc | On | On |

ctype

| | |
|-----------------|---------|
| ctype functions | enabled |
|-----------------|---------|

date

| | |
|-----------------------------------|--------------|
| date/time support | enabled |
| "Olson" Timezone Database Version | 0.system |
| Timezone Database | internal |
| Default timezone | America/Lima |

| Directive | Local Value | Master Value |
|------------------------|-----------------|-----------------|
| date.default_latitude | 31.7667 | 31.7667 |
| date.default_longitude | 35.2333 | 35.2333 |
| date.sunrise_zenith | 90.583333 | 90.583333 |
| date.sunset_zenith | 90.583333 | 90.583333 |
| date.timezone | <i>no value</i> | <i>no value</i> |

dba

| | |
|---------------------------|--|
| DBA support | enabled |
| Supported handlers | cdb cdb_make db4 inifile flatfile qdbm |

| Directive | Local Value | Master Value |
|----------------------------|-------------|--------------|
| dba.default_handler | flatfile | flatfile |

dom

| | |
|----------------------------|----------|
| DOM/XML | enabled |
| DOM/XML API Version | 20031129 |
| libxml Version | 2.7.8 |
| HTML Support | enabled |
| XPath Support | enabled |
| XPointer Support | enabled |
| Schema Support | enabled |
| RelaxNG Support | enabled |

ereg

| | |
|----------------------|-------------------------|
| Regex Library | Bundled library enabled |
|----------------------|-------------------------|

exif

| | |
|-------------------------------|---|
| EXIF Support | enabled |
| EXIF Version | 1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$ |
| Supported EXIF Version | 0220 |
| Supported filetypes | JPEG,TIFF |

| Directive | Local Value | Master Value |
|-------------------------------------|-----------------|-----------------|
| exif.decode_jis_intel | JIS | JIS |
| exif.decode_jis_motorola | JIS | JIS |
| exif.decode_unicode_intel | UCS-2LE | UCS-2LE |
| exif.decode_unicode_motorola | UCS-2BE | UCS-2BE |
| exif.encode_jis | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode | ISO-8859-15 | ISO-8859-15 |

fileinfo

| | |
|-------------------------|-----------|
| fileinfo support | enabled |
| version | 1.0.5-dev |

filter

| | |
|---------------------------------------|-----------------------|
| Input Validation and Filtering | enabled |
| Revision | \$Revision: 298196 \$ |

| Directive | Local Value | Master Value |
|-----------------------------|-----------------|-----------------|
| filter.default | unsafe_raw | unsafe_raw |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

ftp

| | |
|--------------------|---------|
| FTP support | enabled |
|--------------------|---------|

gettext

| | |
|------------------------|---------|
| GetText Support | enabled |
|------------------------|---------|

hash

| | |
|------------------------|--|
| hash support | enabled |
| Hashing Engines | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

iconv

| | |
|------------------------------|---------|
| iconv support | enabled |
| iconv implementation | glibc |
| iconv library version | 2.11.3 |

| Directive | Local Value | Master Value |
|--------------------------------|-------------|--------------|
| iconv.input_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.internal_encoding | ISO-8859-1 | ISO-8859-1 |
| iconv.output_encoding | ISO-8859-1 | ISO-8859-1 |

json

| | |
|---------------------|---------|
| json support | enabled |
| json version | 1.2.1 |

libxml

| | |
|--------------------------------|---------|
| libXML support | active |
| libXML Compiled Version | 2.7.8 |
| libXML Loaded Version | 20708 |
| libXML streams | enabled |

mbstring

| | |
|--|----------|
| Multibyte Support | enabled |
| Multibyte string engine | libmbfl |
| HTTP input encoding translation | disabled |

| |
|--|
| mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1. |
|--|

| | |
|--|---------|
| Multibyte (japanese) regex support | enabled |
| Multibyte regex (oniguruma) version | 5.9.1 |

| Directive | Local Value | Master Value |
|--|--------------------------------|--------------------------------|
| mbstring.detect_order | <i>no value</i> | <i>no value</i> |
| mbstring.encoding_translation | Off | Off |
| mbstring.func_overload | 0 | 0 |
| mbstring.http_input | pass | pass |
| mbstring.http_output | pass | pass |
| mbstring.http_output_conv_mimetypes | ^(text application/xhtml +xml) | ^(text application/xhtml +xml) |
| mbstring.internal_encoding | <i>no value</i> | <i>no value</i> |
| mbstring.language | neutral | neutral |
| mbstring.strict_detection | Off | Off |
| mbstring.substitute_character | <i>no value</i> | <i>no value</i> |

mhash

| | |
|--------------------------|------------------|
| MHASH support | Enabled |
| MHASH API Version | Emulated Support |

openssl

| | |
|--------------------------------|----------------------------|
| OpenSSL support | enabled |
| OpenSSL Library Version | OpenSSL 0.9.8o 01 Jun 2010 |
| OpenSSL Header Version | OpenSSL 0.9.8o 01 Jun 2010 |

pcre

| | |
|---|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled |
| PCRE Library Version | 8.02 2010-03-19 |

| Directive | Local Value | Master Value |
|-----------------------------|-------------|--------------|
| pcre.backtrack_limit | 100000 | 100000 |
| pcre.recursion_limit | 100000 | 100000 |

PDO

| | |
|--------------------|-----------------|
| PDO support | enabled |
| PDO drivers | <i>no value</i> |

Phar

| | |
|----------------------------------|-----------------------|
| Phar: PHP Archive support | enabled |
| Phar EXT version | 2.0.1 |
| Phar API version | 1.1.1 |
| SVN revision | \$Revision: 298908 \$ |

| | |
|---------------------------------|---------|
| Phar-based phar archives | enabled |
| Tar-based phar archives | enabled |
| ZIP-based phar archives | enabled |
| gzip compression | enabled |
| bzip2 compression | enabled |
| OpenSSL support | enabled |

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive | Local Value | Master Value |
|--------------------------|-----------------|-----------------|
| phar.cache_list | <i>no value</i> | <i>no value</i> |
| phar.readonly | On | On |
| phar.require_hash | On | On |

posix

| | |
|-----------------|-----------------------|
| Revision | \$Revision: 300764 \$ |
|-----------------|-----------------------|

Reflection

| | |
|-------------------|-----------------------|
| Reflection | enabled |
| Version | \$Revision: 300393 \$ |

session

| | |
|---------------------------------------|---------------------|
| Session Support | enabled |
| Registered save handlers | files user |
| Registered serializer handlers | php php_binary wddx |

| Directive | Local Value | Master Value |
|--|-----------------|-----------------|
| session.auto_start | Off | Off |
| session.bug_compat_42 | On | On |
| session.bug_compat_warn | On | On |
| session.cache_expire | 180 | 180 |
| session.cache_limiter | nocache | nocache |
| session.cookie_domain | <i>no value</i> | <i>no value</i> |
| session.cookie_httponly | Off | Off |
| session.cookie_lifetime | 0 | 0 |
| session.cookie_path | / | / |
| session.cookie_secure | Off | Off |
| session.entropy_file | <i>no value</i> | <i>no value</i> |
| session.entropy_length | 0 | 0 |
| session.gc_divisor | 100 | 100 |
| session.gc_maxlifetime | 1440 | 1440 |
| session.gc_probability | 0 | 0 |
| session.hash_bits_per_character | 5 | 5 |
| session.hash_function | 0 | 0 |
| session.name | PHPSESSID | PHPSESSID |
| session.referer_check | <i>no value</i> | <i>no value</i> |
| session.save_handler | files | files |

| | | |
|----------------------------------|---------------|---------------|
| session.save_path | /var/lib/php5 | /var/lib/php5 |
| session.serialize_handler | php | php |
| session.use_cookies | On | On |
| session.use_only_cookies | On | On |
| session.use_trans_sid | 0 | 0 |

shmop

| | |
|----------------------|---------|
| shmop support | enabled |
|----------------------|---------|

SimpleXML

| | |
|--------------------------|-----------------------|
| Simplexml support | enabled |
| Revision | \$Revision: 299424 \$ |
| Schema support | enabled |

soap

| | |
|--------------------|---------|
| Soap Client | enabled |
| Soap Server | enabled |

| Directive | Local Value | Master Value |
|--------------------------------|-------------|--------------|
| soap.wsdl_cache | 1 | 1 |
| soap.wsdl_cache_dir | /tmp | /tmp |
| soap.wsdl_cache_enabled | 1 | 1 |
| soap.wsdl_cache_limit | 5 | 5 |
| soap.wsdl_cache_ttl | 86400 | 86400 |

sockets

| | |
|------------------------|---------|
| Sockets Support | enabled |
|------------------------|---------|

SPL

| | |
|--------------------|--|
| SPL support | enabled |
| Interfaces | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject |
| Classes | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

standard

| | |
|--------------------------------|--------------------------|
| Dynamic Library Support | enabled |
| Path to sendmail | /usr/sbin/sendmail -t -i |

| Directive | Local Value | Master Value |
|------------------------------|---|---|
| assert.active | 1 | 1 |
| assert.bail | 0 | 0 |
| assert.callback | <i>no value</i> | <i>no value</i> |
| assert.quiet_eval | 0 | 0 |
| assert.warning | 1 | 1 |
| auto_detect_line_endings | 0 | 0 |
| default_socket_timeout | 60 | 60 |
| safe_mode_allowed_env_vars | PHP_ | PHP_ |
| safe_mode_protected_env_vars | LD_LIBRARY_PATH | LD_LIBRARY_PATH |
| url_rewriter.tags | a=href,area=href,frame=src,input=src,form=fakeentry | a=href,area=href,frame=src,input=src,form=fakeentry |
| user_agent | <i>no value</i> | <i>no value</i> |

suhosin

This server is protected with the Suhosin Extension 0.9.32.1

Copyright (c) 2006-2007 [Hardened-PHP Project](#)
 Copyright (c) 2007-2010 [SektionEins GmbH](#)



| Directive | Local Value | Master Value |
|---|-----------------|-----------------|
| suhosin.apc_bug_workaround | Off | Off |
| suhosin.cookie.checkraddr | 0 | 0 |
| suhosin.cookie.cryptdocroot | On | On |
| suhosin.cookie.cryptkey | [protected] | [protected] |
| suhosin.cookie.cryptlist | <i>no value</i> | <i>no value</i> |
| suhosin.cookie.cryptraddr | 0 | 0 |
| suhosin.cookie.cryptua | On | On |
| suhosin.cookie.disallow_nul | 1 | 1 |
| suhosin.cookie.disallow_ws | 1 | 1 |
| suhosin.cookie.encrypt | Off | Off |
| suhosin.cookie.max_array_depth | 50 | 50 |
| suhosin.cookie.max_array_index_length | 64 | 64 |
| suhosin.cookie.max_name_length | 64 | 64 |
| suhosin.cookie.max_totalname_length | 256 | 256 |
| suhosin.cookie.max_value_length | 10000 | 10000 |
| suhosin.cookie.max_vars | 100 | 100 |
| suhosin.cookie.plainlist | <i>no value</i> | <i>no value</i> |
| suhosin.coredump | Off | Off |
| suhosin.disable.display_errors | Off | Off |
| suhosin.executor.allow_symlink | Off | Off |
| suhosin.executor.disable_emoji | Off | Off |
| suhosin.executor.disable_eval | Off | Off |
| suhosin.executor.eval.blacklist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.eval.whitelist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.func.blacklist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.func.whitelist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.include.allow_writable_files | On | On |
| suhosin.executor.include.blacklist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.include.max_traversal | 0 | 0 |
| suhosin.executor.include.whitelist | <i>no value</i> | <i>no value</i> |
| suhosin.executor.max_depth | 0 | 0 |
| suhosin.filter.action | <i>no value</i> | <i>no value</i> |

| | | |
|---|-----------------|-----------------|
| suhosin.get.disallow_nul | 1 | 1 |
| suhosin.get.disallow_ws | 0 | 0 |
| suhosin.get.max_array_depth | 50 | 50 |
| suhosin.get.max_array_index_length | 64 | 64 |
| suhosin.get.max_name_length | 64 | 64 |
| suhosin.get.max_totalname_length | 256 | 256 |
| suhosin.get.max_value_length | 512 | 512 |
| suhosin.get.max_vars | 100 | 100 |
| suhosin.log.file | 0 | 0 |
| suhosin.log.file.name | <i>no value</i> | <i>no value</i> |
| suhosin.log.phpscript | 0 | 0 |
| suhosin.log.phpscript.is_safe | Off | Off |
| suhosin.log.phpscript.name | <i>no value</i> | <i>no value</i> |
| suhosin.log.sapi | 0 | 0 |
| suhosin.log.script | 0 | 0 |
| suhosin.log.script.name | <i>no value</i> | <i>no value</i> |
| suhosin.log.syslog | <i>no value</i> | <i>no value</i> |
| suhosin.log.syslog.facility | <i>no value</i> | <i>no value</i> |
| suhosin.log.syslog.priority | <i>no value</i> | <i>no value</i> |
| suhosin.log.use-x-forwarded-for | Off | Off |
| suhosin.mail.protect | 0 | 0 |
| suhosin.memory_limit | 0 | 0 |
| suhosin.mt_srand.ignore | On | On |
| suhosin.multiheader | Off | Off |
| suhosin.perdir | 0 | 0 |
| suhosin.post.disallow_nul | 1 | 1 |
| suhosin.post.disallow_ws | 0 | 0 |
| suhosin.post.max_array_depth | 50 | 50 |
| suhosin.post.max_array_index_length | 64 | 64 |
| suhosin.post.max_name_length | 64 | 64 |
| suhosin.post.max_totalname_length | 256 | 256 |
| suhosin.post.max_value_length | 1000000 | 1000000 |
| suhosin.post.max_vars | 1000 | 1000 |
| suhosin.protectkey | On | On |
| suhosin.request.disallow_nul | 1 | 1 |
| suhosin.request.disallow_ws | 0 | 0 |
| suhosin.request.max_array_depth | 50 | 50 |
| suhosin.request.max_array_index_length | 64 | 64 |
| suhosin.request.max_totalname_length | 256 | 256 |
| suhosin.request.max_value_length | 1000000 | 1000000 |
| suhosin.request.max_varname_length | 64 | 64 |
| suhosin.request.max_vars | 1000 | 1000 |
| suhosin.server.encode | On | On |
| suhosin.server.strip | On | On |
| suhosin.session.checkraddr | 0 | 0 |
| suhosin.session.cryptdocroot | On | On |
| suhosin.session.cryptkey | [protected] | [protected] |
| suhosin.session.cryptraddr | 0 | 0 |
| suhosin.session.cryptua | Off | Off |
| suhosin.session.encrypt | On | On |
| suhosin.session.max_id_length | 128 | 128 |

| | | |
|------------------------------------|-----------------|-----------------|
| suhosin.simulation | Off | Off |
| suhosin.sql.bailout_on_error | Off | Off |
| suhosin.sql.comment | 0 | 0 |
| suhosin.sql.multiselect | 0 | 0 |
| suhosin.sql.opencomment | 0 | 0 |
| suhosin.sql.union | 0 | 0 |
| suhosin.sql.user_postfix | <i>no value</i> | <i>no value</i> |
| suhosin.sql.user_prefix | <i>no value</i> | <i>no value</i> |
| suhosin.srand.ignore | On | On |
| suhosin.stealth | On | On |
| suhosin.upload.disallow_binary | 0 | 0 |
| suhosin.upload.disallow_elf | 1 | 1 |
| suhosin.upload.max_uploads | 25 | 25 |
| suhosin.upload.remove_binary | 0 | 0 |
| suhosin.upload.verification_script | <i>no value</i> | <i>no value</i> |

sysvmsg

| | |
|-----------------|-----------------------|
| sysvmsg support | enabled |
| Revision | \$Revision: 293036 \$ |

tokenizer

| | |
|-------------------|---------|
| Tokenizer Support | enabled |
|-------------------|---------|

wddx

| | |
|-------------------------|---------|
| WDDX Support | enabled |
| WDDX Session Serializer | enabled |

xml

| | |
|-----------------------|--------|
| XML Support | active |
| XML Namespace Support | active |
| libxml2 Version | 2.7.8 |

xmlreader

| | |
|-----------|---------|
| XMLReader | enabled |
|-----------|---------|

xmlrpc

| | |
|-----------------------|---|
| core library version | xmlrpc-epi v. 0.51 |
| php extension version | 0.51 |
| author | Dan Libby |
| homepage | http://xmlrpc-epi.sourceforge.net |
| open sourced by | Epinions.com |

xmlwriter

| | |
|-----------|---------|
| XMLWriter | enabled |
|-----------|---------|

zip

| | |
|-------------------|---|
| Zip | enabled |
| Extension Version | \$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$ |
| Zip version | 1.9.1 |
| Libzip version | 0.9.0 |

zlib

| | |
|------------------------|----------------------------|
| ZLib Support | enabled |
| Stream Wrapper support | compress.zlib:// |
| Stream Filter support | zlib.inflate, zlib.deflate |
| Compiled Version | 1.2.1.1 |
| Linked Version | 1.2.3.4 |

| Directive | Local Value | Master Value |
|-------------------------------|-----------------|-----------------|
| zlib.output_compression | Off | Off |
| zlib.output_compression_level | -1 | -1 |
| zlib.output_handler | <i>no value</i> | <i>no value</i> |

Additional Modules

| Module Name |
|-------------|
| sysvsem |
| sysvshm |

Environment

| Variable | Value |
|------------------|------------------------------|
| APACHE_RUN_DIR | /var/run/apache2 |
| APACHE_PID_FILE | /var/run/apache2.pid |
| PATH | /usr/local/bin:/usr/bin:/bin |
| APACHE_LOCK_DIR | /var/lock/apache2 |
| LANG | C |
| APACHE_RUN_GROUP | www-data |
| APACHE_RUN_USER | www-data |
| APACHE_LOG_DIR | /var/log/apache2 |
| PWD | / |

PHP Variables

| Variable | Value |
|----------------------------|--|
| PHP_SELF | /info.php |
| _COOKIE["clientLanguage"] | es |
| _SERVER["HTTP_HOST"] | 192.168.5.112 |
| _SERVER["HTTP_USER_AGENT"] | Mozilla/5.0 (Windows NT 5.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.162 Safari/535.19 |
| _SERVER["HTTP_ACCEPT"] | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8 |

| | |
|---------------------------------|---|
| _SERVER["HTTP_ACCEPT_ENCODING"] | gzip,deflate,sdch |
| _SERVER["HTTP_ACCEPT_LANGUAGE"] | es-ES,es;q=0.8 |
| _SERVER["HTTP_ACCEPT_CHARSET"] | ISO-8859-1,utf-8;q=0.7,*;q=0.3 |
| _SERVER["HTTP_COOKIE"] | clientLanguage=es |
| _SERVER["HTTP_VIA"] | 1.1 squid-02.concytec.gob.pe:3128 (squid/2.7.STABLE9) |
| _SERVER["HTTP_X_FORWARDED_FOR"] | 192.168.4.161 |
| _SERVER["HTTP_CACHE_CONTROL"] | max-age=259200 |
| _SERVER["HTTP_CONNECTION"] | keep-alive |
| _SERVER["PATH"] | /usr/local/bin:/usr/bin:/bin |
| _SERVER["SERVER_SIGNATURE"] | <address>Apache/2.2.16 (Debian) Server at 192.168.5.112 Port 80</address> |
| _SERVER["SERVER_SOFTWARE"] | Apache/2.2.16 (Debian) |
| _SERVER["SERVER_NAME"] | 192.168.5.112 |
| _SERVER["SERVER_ADDR"] | 192.168.5.112 |
| _SERVER["SERVER_PORT"] | 80 |
| _SERVER["REMOTE_ADDR"] | 192.168.5.234 |
| _SERVER["DOCUMENT_ROOT"] | /var/www/ |
| _SERVER["SERVER_ADMIN"] | webmaster@localhost |
| _SERVER["SCRIPT_FILENAME"] | /var/www/info.php |
| _SERVER["REMOTE_PORT"] | 36892 |
| _SERVER["GATEWAY_INTERFACE"] | CGI/1.1 |
| _SERVER["SERVER_PROTOCOL"] | HTTP/1.0 |
| _SERVER["REQUEST_METHOD"] | GET |
| _SERVER["QUERY_STRING"] | <i>no value</i> |
| _SERVER["REQUEST_URI"] | /info.php |
| _SERVER["SCRIPT_NAME"] | /info.php |
| _SERVER["PHP_SELF"] | /info.php |
| _SERVER["REQUEST_TIME"] | 1334602102 |
| _SERVER["argv"] | Array () |
| _SERVER["argc"] | 0 |

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.